

INDEX

- Adaptation, to computer systems, 45.
 Algorithmic method of design, 4.
 Alternate keyboards. *See* Keyboards, alternate.
 Auditory displays, for computer terminals, 101.
 Automatic laboratory analyzer, 119-20.
 Automation, in hospitals, 121-22.
 Auto-monitoring technique, 102, 115.
- Baseline study, for IIDA, 63-65.
 BROWSE system, 77-98; example of search, 80-89.
 Browsing, in machine-readable databases, 77-98.
- C-DEK terminals, 38.
 Canned searches, for instructional purposes, 52.
 Catalog equipment, 20-36.
 Category perspicuity, 92.
 Circulation policies, 43.
 Cognitive processing difficulties, for handicapped, 109.
 COM catalog, 45-46.
 Command-driven system, 47.
 Computer-assisted instruction, 51-54.
 Computer-naïve users, 77-98.
 Computer naïveté, types of, 78.
 Computer terminals: design of, for handicapped, 99-100; determination of number needed, 20-36, 46-47; interactive, 8-19; public, 44; types of, for handicapped, 99-116. *See also* C-DEK terminals; Remote access terminals; Talking terminals.
 Computing Review classification, 81-82.
- Dallas Public Library, study of traffic at catalog, 21-36.
 Database, frame. *See* Frame database.
 Database, record. *See* Record database.
 Deaf persons, and use of computer terminals, 99.
 Defensive medicine, 121.
 Design: and values, 4-7; constraints on, for computer terminals for handicapped, 110-11; fallacies of, 12-19; major elements of, 8-11; of computer terminals for handicapped, 99-100; of on-line circulation systems, 41-43; of public access information systems, 2-7, 78; principles of, for search diagnosis, 56-57.
 Design, algorithmic method of. *See* Algorithmic method of design.
 Design, heuristic method of. *See* Heuristic method of design.
 Design, simulation method of. *See* Simulation method of design.
 Diagnosis: of searching techniques, 55-57; of user performance, future research directions, 74-75.
 Diagnostic procedures, for IIDA, 58-62.
 Diagnostic tests, performance of, for user performance, 71-74.
 DIALOG, 50-76.
 Direct selection, technique for physically handicapped, 101-02, 113.
 DOBIS system (file structuring), 41.
 Dwelling (search behavior), 61-62.
- Encoding techniques, for increasing selection space, 107-09.
 Exxon Research and Engineering Company: at Florham Park, N.J., 63-65; at Linden, N.J., 65-68.
 Eye position sensing system, for handicapped persons, 102.
- Feedback, as element of heuristic approach to design, 5.
 File design, for on-line circulation system, 41.
 Files, wrapped, 43.
 Fill description, 95.
 Frame database, 94-96.
 Frames, in BROWSE, 80-81.
- Gandalf network (University of Guelph), 44-45.
 GEAC, 41; GEAC 800, 44; GEAC 8000, 42-45.
 Group description, 95.
 Guelph, University of. *See* University of Guelph.

- Handicapped persons, computer access for, 99-116.
- Hardware: heuristics for design of, 6-7; modularized, 11.
- Health care, and resistance to technology, 117-24.
- Heuristic method of design, 4-7.
- Heuristic principles, for diagnosis of searching techniques, 56.
- Heuristics, in browsing, 79-80.
- Hospital information systems, 117-24.
- Hospitals, and introduction of automation, 121-23.
- Human homogeneity (design fallacy), 16-17.
- Human memory (design fallacy), 15.
- Human-machine systems, 8-19.
- Human patience (design fallacy), 16.
- Human perspicacity (design fallacy), 13-15.
- IIDA, 49-76.
- Individualized Instruction for Data Access. *See* IIDA.
- Information, as process, 3.
- Information management problems, in hospitals, 122-23.
- Information systems, design of, 2-3.
- Input, 2-3.
- Interactive computer terminals. *See* Computer terminals.
- Interactive information retrieval system, 49-76.
- Interactive systems, 13-19.
- Interface performance factors, 78-79.
- Interface perspicuity, 91-92.
- Keyboards, alternate, as technique for physically handicapped, 113.
- Keyboard manipulation, for handicapped, 99.
- Laboratory automation, 121.
- Light beam pointers, as technique for physically handicapped, 114-15.
- Maintenance, of modified computer terminals for handicapped, 110.
- Manufacturer constraints, on design of computer terminals for handicapped, 110-11.
- MARC records, use of, in on-line circulation system, 40-41.
- Medical information systems, 118-24.
- Menu-driven system, 47.
- Menu-selection system, 92-93.
- Menus, in on-line system, 43.
- Microfiche catalog, 45-46. *See also* Microform catalog.
- Microform catalog, 45-46.
- Microform readers, 20-22.
- Modularization, 11.
- Naïve users. *See* Computer-naïve users.
- OCLC, Inc., 27.
- On-line circulation: database for, 40-41; design criteria for, 39-41; implementation of, 38-48; public inquiry of, 42.
- On-line systems: error detection in, 38-39; reasons for change to, 38-39.
- Optical pointers, for use on computer terminals for handicapped, 102.
- Opticon (aid for visually handicapped), 100.
- Option description, 95.
- Orientation programs, for on-line systems, 45.
- Output, 2-3.
- Parameterized search, 79, 82, 96.
- Performance of users. *See* User performance.
- Perspicuity, category. *See* Category perspicuity.
- Perspicuity, interface. *See* Interface perspicuity.
- Perspicuity, structure. *See* Structure perspicuity.
- Physically handicapped, and use of computer terminals, 101-02.
- Pilot testing, of IIDA, 62-63.
- Policies, for on-line circulation system, 43.
- Practice search, for instruction, 52-53.
- PROMIS system, 92.
- PS. *See* Parameterized search.
- Public access terminals. *See* Computer terminals.
- Public use, of on-line circulation system, 42.
- Queue model, 27-28.

- Record database, 95.
Record formats, 45-46.
Relevance judgments, in diagnostic testing, 65.
Remote-access terminals, 46-47. *See also* Computer terminals.
Resistance to technology. *See* Technology, resistance to.

Scanning, as type of menu-type selection, 115.
Scanning techniques: for use on computer terminals for handicapped, 103-04; types of choices for, 105-07.
Screen display, self-instructing, 42.
Search: concept of, for IIDA, 57-58; two-cycle, *See* Two-cycle search.
Searching, without an intermediary, 54-55.
Searching techniques, goal setting for, 52.
Selection space, for handicapped, 107-09.
Sensitivity analysis, 28-29.
Similarity index (search diagnosis), 61.
Simulation method of design, 4.
Software: heuristics for design of, 6-7; modularized, 11.
Structure perspicuity, 92.
Subsystem independence (design fallacy), 12-13.
Survey of equipment needs for libraries, 22-27.
System function (design fallacy), 13.
System helps, 6.
Systems, human-machine. *See* Human-machine systems.

Table, wrapped, 43.
Tactile displays: for computer terminals, 100; technique for visually impaired, 112.
Talking terminals, 112. *See also* Computer terminals.
Technology: economic factors and acceptability, 120-21; resistance to, 117-25; uncritical overutilization of, 121.
TELENET, 50.
Terminals, computer. *See* Computer terminals.
Thrashing (search behavior), 61.
Two-cycle search, 52.
TYMNET, 50.

UGLI (computer language), 43.
University of Guelph Library, 37-48.
University of Toronto Library Automation System. *See* UTLAS.
Unmatched expectation, as factor in resistance to technology, 123.
User constraints, on design of computer terminals for handicapped, 110.
User performance, in on-line system, 49-76.
UTLAS, 40.

Value, and design, 4-7.
Values for public access, 6-7.
Visual enlargement: of displays on computer terminals, 100; technique for visually impaired, 111-12.
Visually impaired, and use of computer terminals, 100-01.

Window description, 95.
Wrapped files. *See* Files, wrapped.
Wrapped table. *See* Table, wrapped.

ZOG system, 92-96.